

## Comparison of the Old (ST3) and New (ST5) Model of Smart Tweezers

<b>Feature</b>	<b>Old ST Model</b>	<b>New Model ST5</b>
Automatic LCR Measurement	Yes	Yes
Manual LCR Measurement	Yes	Yes
Diode Test	Yes	Yes
Continuity Test	Yes	Yes
DC Voltage Measurement	Yes	No
AC Voltage Measurement / Trace Mode	Yes	No
Rechargeable Batteries / Charger	Optional	Standard
Designated ESR Measurement	No	Yes
Automatic Offset Subtraction	No	Yes
Component Sorting	No	Yes
<hr/>		
<b>Technical Specs</b>		
Test Frequency	0.1, 0.12, 1, 10 kHz +/- 0.25%	0.1, 0.12, 1, 10 kHz +/- 0.005%
Test Signal Level	0.32 +/- 10% Vrms	0.25, 0.5, 1.0 +/- 5% Vrms
Source Impedance	620 Ohms +/- 5%	62.5Ω/1kΩ/16kΩ +/- 1%
<hr/>		
<b>Typical Accuracy</b>		
Resistance	1%	0.20%
Capacitance	3%	0.50%
Inductance	3%	0.50%
<hr/>		
<b>Measurement Range</b>		
Resistance	0.1 Ohm to 10 Mohms	0.1 Ohm to 10 Mohms
Capacitance	0.5 pF to 5 mF	0.5 pF to 1 mF
Inductance	0.5 uH to 1 H	0.5 uH to 1 H